# TREND
## LIGHT BY SOLID STATE

# Extrusion EX7
Recessed Extrusion

| Product Code | Trim Colour | Accessories |
|---|---|---|
| **EX7** | B (Black) | CLR (Clear Lens) |
| | S (Silver) | OP (Opal Lens) |

Order Code  **EX7-B-OP**

## Product Features

- Recessed aluminium trimless extrusion profile with curved diffuser designed for recessed mounting
- Can mix and match with recommended LED strips of up to 3 continuous metres
- Configured with a clear or opal diffuser
- Supplied with 40 mm springs

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX7

## Product Attributes

**IP20**

## Physical Characteristics

| | |
|---|---|
| Trim Colour | Black | Silver |
| Dimensions (WxH) | 25 x 18.5 mm |
| Maximum Length | 3000 mm* |

* Custom lengths available

## General Characteristics

| | |
|---|---|
| Category | Strips & Extrusions |
| Family | Extrusions |
| Surface | Ceiling | Floor | Wall |
| Mounting | Recessed |
| Ingress Protection | IP20 |

## Dimensions (mm)

17.5
12.5
18.5
25.5

# Extrusion EX7
Recessed Extrusion

| Product Code | Trim Colour | Accessories |
|---|---|---|
| **EX7** | B  (Black) | CLR  (Clear Lens) |
|  | S  (Silver) | OP  (Opal Lens) |

Order Code  **EX7-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX7

## Trim Colour



B
**Black Trim**



S
**Silver Trim**

## Accessories



CLR
**Clear Lens**



OP
**Opal Lens**

# Extrusion EX7

Recessed Extrusion

| Product Code | Trim Colour | Accessories |
|---|---|---|
| **EX7** | B (Black)<br>S (Silver) | CLR (Clear Lens)<br>OP (Opal Lens) |

Order Code **EX7-B-OP**

To configure this extrusion, please visit
trendlighting.com.au/product/extrusion-EX7

## Applicable LED Strips for Extrusion EX7



**Flexiled XF1260**
16W/m 12V DC Flexible Strip

Dimensions  1000 x 12 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  50 mm (3 LEDs)
LED Pitch  60 LEDs per meter



**Flexiled XF12120**
15W/m 12V DC Flexible Strip

Dimensions  1000 x 11.5 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  25 mm (3 LEDs)
LED Pitch  120 LEDs per meter



**Flexiled XF24120**
15W/m 24V DC Flexible Strip

Dimensions  1000 x 11.5 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  50 mm (6 LEDs)
LED Pitch  120 LEDs per meter



**Flexiled XF24120B**
8W/m 24V DC Flexible Strip

Dimensions  1000 x 10.5 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  50 mm (6 LEDs)
LED Pitch  120 LEDs per meter



**Flexiled XF2499**
20W/m 24V DC Flexible Strip

Dimensions  1000 x 12 x 2 mm
Max. Continuous Length  6000 mm
Cutting Increment  60 mm (6 LEDs)
LED Pitch  99 LEDs per meter



**Flexiled XF24480**
9W/m 24V DC Flexible Strip

Dimensions  1000 x 8 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  50 mm
LED Pitch  480 LEDs per meter



**Flexiled XF24RGBW**
20W/m 24V DC Flexible Strip

Dimensions  1000 x 12 x 2 mm
Max. Continuous Length  5000 mm
Cutting Increment  62.5 mm (6 LEDs)
LED Pitch  96 LEDs per meter